


Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

62.25



*Plant a Garden
for
Victory, Health and Economy*

QUINLAN'S SEED CATALOG

A COMPLETE LINE OF FLOWER, GARDEN AND FIELD
SEEDS, INSECTICIDES, FERTILIZERS, PET AND
ANIMAL FOODS AND REMEDIES

1944

Planting Chart on Page 2

QUINLAN'S SEED STORE

317 Wabash Avenue

TERRE HAUTE, IND,

TELEPHONE C-2075

PARCEL POST RATES

On Seeds, Plants, Bulbs, Roots, Books, Tools, etc., within the U. S. and Possessions.

	First pound or fraction	Each additional pound or fraction
Local	7c.	1c (2 lbs.)
First and Second Zone within 150 miles of either.....	8c.	1.1c
Third Zone within 150 to 300 miles	9c.	2c
Fourth Zone within 300 to 600 miles	10c.	3.5c
Fifth Zone within 600 to 1000 miles.....	11c.	5.3c
Sixth Zone within 1000 to 1400 miles.....	12c.	7c
Seventh Zone within 1400 to 1800 miles.....	14c.	9c
Eighth Zone all over 1800 miles.....	15c.	11c
Canada	14c.	14c

NOTE—A fraction of a cent in the total amount of postage on any parcel shall be counted as a full cent. Limit of weight for delivery to all zones 70 pounds; to Canada 15 lbs. If weight exceeds this, we will pack in 2 or 3 parcels (not more) provided money is remitted to cover postage. (Mark your Zone Number on order.)

All parcels under 8 ounces are carried everywhere regardless of zone rates at one and one-half cents for 2 ounces.

Low Prices.—A matter of primary importance in buying seeds is to obtain only the best. Our position enables us to supply you with such seeds, and at prices to compete with all reliable seedsmen.

Good Order.—If seeds are not received in good order within a reasonable time, write us and we will look up the shipment. Small orders are often delayed in transit.

Cash.—Money must always accompany the order. Money may be sent safely either by Postoffice Order, Express Order, or Bank Draft. We will be responsible for the safe receipt of remittances sent by either of the above methods. We accept postage stamps the same as cash.

WARRANTY AND QUALITY OF SEEDS

While we exercise the greatest care to have all our seeds Pure, Reliable, and True to Name, we do not give any warranty, express or implied, as to description, quality, and productiveness, or any other matter, of any seeds we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the seeds on these terms, they are at once to be returned and the money that has been paid for same will be refunded.

SPRING CATALOG

1944

**A COMPLETE LINE OF FLOWER, GARDEN AND
FIELD SEEDS, INSECTICIDES, FERTILIZERS, PET
AND ANIMAL FOODS AND REMEDIES**

QUINLAN SEED STORE

317 Wabash Ave.

Terre Haute, Indiana

Telephone C-2075

Vegetable Planting Chart

Vegetable	Depth to Cover (inches)	Space Between Rows	Space to Set Plants or Thin Out Seedlings	Time Required to Produce Crop Ready for Use	Approximate Yield per 20 ft. of Row	Seed Required to Sow One Acre	Time to Plant in Open Ground		
							South	North	
Asparagus	Seeds, 1 in. Plants, 4 in.	3 to 4 ft.	12 in.	Seeds 4 years Plants 2 years	50 bunches of 1 doz. each for entire patch	4 lbs.	Autumn or early spring	Early spring	
Beans (Limas, see below)	Bush	2 in.	2 ft.	4 in.	60 to 90 days	8 qts.	50 lbs.	Late spring	May and June
	Pole	2 in.	3 ft.	3 ft.	90 to 120 days	10 qts.	30 to 50 lbs.		
Beet	½ in.	18 in.	2 to 3 in.	60 to 80 days	5 doz. roots	8 to 14 lbs.	Feb. to April—Aug. to Sept.	April to Aug.	
Broccoli	¼ in.	2½ ft.	24 in.	120 days	20 heads	4 ozs.			
Brussels Sprouts	¼ in.	2½ ft.	24 in.	120 days	20 qts.	4 ozs.	Jan. to July	May and June	
Cabbage		2½ ft.	18 to 24 in.	100 to 150 days	10 heads	4 ozs.	Oct. to Dec.—June and July	Mar. to June	
Chinese Cabbage	¼ in.	2½ ft.	12 in.	80 to 100 days	20 heads				
Carrot	½ in.	2 ft.	2 to 4 in.	45 to 60 days	5 doz. roots	3 to 4 lbs.	Mar. and Apr.—Sept.	April to June	
Cauliflower		2 to 3 ft.	24 in.	120 to 150 days	8 to 10 heads	4 ozs.	Jan. and Feb.—June	April to June	
Celery		3 ft.	6 in.	100 to 120 days	2 doz. stalks	4 ozs.	Aug. and Oct.	May and June	
Corn, Sweet	2 in.	3 ft.	12 in.	80 to 120 days	40 ears	8 to 10 lbs.	Feb. to April	May to July	
Cucumber	¼ in.	4 ft.	3 to hill	60 to 80 days	20 to 30 pickles	3 to 4 lbs.	Feb. and Mar.—Sept.	April to July	
Eggplant		2½ ft.	24 in.	100 to 120 days	30 to 40 fruits	5 to 6 ozs.	Feb. to April	April and May	
Endive	½ in.	2 ft.	10 to 12 in.	60 to 80 days	30 to 40 plants	4 to 5 lbs.	Feb. to April	April and July	
Kale	½ in.	2½ ft.	12 in.	80 to 100 days	20 plants	4 to 5 lbs.	Oct. to Feb.	Aug. to Sept.—Mar. and Apr.	
Leek	½ in.	2 ft.	4 in.	100 days	60 plants	4 lbs.	May to Sept.	Mar. to May	
Lettuce	½ in.	2 ft.	10 to 12 in.	45 to 60 days	20 heads	1½ to 2 lbs.	Sept. to Mar.	Mar. to Sept.	
Melon, Musk	¼ in.	4 ft.	3 to hill	100 to 120 days	30 fruits	3 to 4 lbs.	Feb. to April	April to June	
Beans, Limas	Bush	2 in.	3 ft.	24 in.	100 days	4 qts.	30 to 50 lbs.		
	Pole	2 in.	4 ft.	3 ft.	120 days	5 to 6 qts.			
Onions	½ in.	18 in.	4 in.	80 to 110 days	80 onions 10 to 20 lbs. per row	3 to 4 lbs.	Oct. to Mar.	April to May	
Onion Sets	1 in.	18 in.	2 in.	30 to 60 days	120 scallions	60 to 85 lbs.	Early spring	Autumn—Feb. to May	
Peas	2 in.	2½ ft.	1 in.	60 to 100 days	10 to 20 qts. of pods	90 to 180 lbs.	Sept. to April	Mar. to June	
Pepper		3 ft.	2 ft.	100 days	10 doz. peppers	½ to 1 lb.	Early spring	May and June	
Potatoes	4 in.	3 ft.	6 in.	100 days	10 to 15 lbs.		Jan. to April	Mar. to June	
Potatoes, Sweet	3 in.	3½ ft.	2 ft.	5 mos.			April and May	May and June	
Pumpkin	½ in.	4 to 6 ft.	3 to hill	100 to 120 days	5 to 10 fruits	3 to 4 lbs.	April and May	May and July	
Radish	½ in.	18 in.	1 to 4 in.	30 to 60 days	10 to 15 doz.	10 to 12 lbs.	Sept. to April	Mar. to Sept.	
Rhubarb	6 in.	3 ft.	3 ft.	60 days	6 doz. stalks	3 lbs.		Early spring	
Rutabaga	½ in.	2 ft.	6 in.	90 to 100 days	50 to 60 roots	2 to 4 lbs.	Aug. and Sept.	May and June	
Spinach	¼ in.	18 in.	4 in.	60 days	50 to 60 plants	15 to 20 lbs.	Sept. to Feb.	Sept. or very early spring	
Spinach, N. Zealand	1 in.	18 in.	3 in.	2 mos.					
Squash	¼ in.	4 to 6 ft.	3 to hill	100 to 120 days	2 doz. fruits, bushvar.	4 to 6 lbs.	Spring	April to July	
Swiss Chard	½ in.	2 ft.	12 in.	90 to 100 days	20 plants	6 to 10 ozs.			
Tomato		3 to 4 ft.	3 ft.	100 to 120 days	15 to 20 lbs. per plant during season	2 ozs.	Dec. to Mar.	May to June	
Turnip	½ in.	2 ft.	4 in.	60 to 80 days	60 to 80 roots	2 to 3 lbs.	Aug. to Oct.	April to Aug.	
Watermelon	½ in.	6 ft.	4 to 6 ft.	3 to 4 mos.					

The time requirements for crops to reach edible size varies, of course, according to the seasons and varieties. Different soils also have a profound influence. A tomato, for instance, which in Southern New Jersey will mature in 90 days, may require from 100 to 110 days in sections further north having heavy clay soils. Allowance also must be made for the relative estimate of the yields, due to climatic and soil conditions. But the averages will be found to be fairly accurate on the basis of many years of observation.

ASPARAGUS.

An ounce of seed will sow 50 feet of drill, and produce about 300 plants.
Fair crops may be expected the third year from seed.

	Oz.	¼ lb.	Lb.
Washington, Martha15	.35	1.25
The original rust resistant variety ; heavy yielding, large dark green stalks ; of fine quality.			
Washington, Mary15	.35	1.25
The highest type of the rust-resistant asparagus. It is earlier, larger and longer than the original Washington and quite as resistant. Tips are very tight and do not "sprangle out" or "blow" prematurely.			

BEANS.—Dwarf or Bush.

Postage on all Beans to be paid by purchaser. See Parcel Post Rates
Front Page.

Beans should not be planted before the ground becomes light and warm, in favorable seasons usually about the first of May. The soil should be rich and mellow, and the seeds scattered about 3 inches apart in drills that are to 2 to 2½ feet apart, and covered about 2 inches deep. Successive sowings, made at intervals of about two weeks until the middle of July, will give a plentiful supply of beans throughout the season. One pound of seed will sow 100 feet of drill.

GREEN PODDED SORTS.

	Lb.	¼ Bu.	Bu.	Days
Black Valentine (Improved Stringless), Oval Dark Green Pod	.40	\$4.00	\$15.00	49
Bountiful Bean, Early Stringless, Flat Light Green Pod.....	.40	4.00	15.00	49
Full Measure, Very Early Round Stringless40	4.00	15.00	53
Giant Stringless Green Pod, Round Medium Green Pod.....	.40	4.00	15.00	53
Hopkin's Imp. Round Pod, Ex. Early Valentine, Red.....	.40	4.00	15.00	52
Horticultural Dwarf, Shell Bean40	4.00	15.00	54
Large Red Kidney, Shell Bean30	3.50	12.00	95
Plentiful40	4.00	15.00	51
Improved Bountiful type, stringless, long straight medium deep green pods. Shows a definite resistance to rust disease. Very productive.				
Stringless Green Pod, Round Dark Green Pod.....	.40	4.00	15.00	50
Tendergreen (New Stringless), Round Dark Green Pod.....	.40	4.00	15.00	51
Tennessee Green Pod, Flat Medium Green Pod.....	.40	4.00	15.00	50
White Kidney, Shell Bean30	3.50	12.00	95
White Marrow, Shell Bean30	3.50	12.00	100
White Navy, Shell Bean25	3.00	10.00	90

WAX PODDED BEANS.

	Lb.	¼ Bu.	Days
German Black Wax, Yellow Pod40	4.00	55
Improved Golden Wax, Yellow Pod40	4.00	51

POLE BEANS.

Less hardy than the Bush Beans, and should be planted several weeks later, when the ground is warmer. Plant the seeds in slightly raised hills 3 or 4 feet apart, 4 or 5 seeds to the hill. The Limas are especially tender, and the rule for late outside planting with them is rigid. Painsstaking cultivators, who are usually the most successful, plant them eye downward, after setting stout poles for every hill. All sorts of late-ripening Pole Beans are benefitted by pinching the tips of the vines back when they are about 5 feet high. A pound will plant about 100 hills.

	Lb.	¼ Bu.	Days
Early Golden Cluster Wax, Yellow Pod.....	.40	4.00	74

POLE BEANS—Continued

	Lb.	¼ Bu.	Days
Horticultural or Cranberry, Shell Bean.....	.40	4.00	70
Kentucky Wonder, or Old Homestead.....	.40	4.00	65
Kentucky Wonder Wax, Yellow Pod.....	.40	4.00	68
Lazy Wife, Thick Green Pod40	4.00	74
Missouri Wonder, Round Medium Green Pod.....	.40	4.00	66
Speckled Cut Short Corn Bean.....	.40	4.00	72
White Kentucky Wonder, Green Pod.....	.40	4.00	64

POLE LIMA BEANS.

	Lb.	¼ Bu.	Days
Extra Large Lima, Large Flat Bean.....	.40	4.00	88
King of the Garden, Large Flat Bean.....	.40	4.00	88

BUSH OR DWARF LIMA BEANS.

	Lb.	¼ Bu.	Bu.	Days
Baby Potato, Small Thick Bean40	4.00	15.00	72
Burpee's Imp. Bush Lima, Large Plump Bean.....	.40	4.00	15.00	75
Fordhook, Thick Oval Bean40	4.00	15.00	75
Henderson's Bush Lima, Small Oval Bean.....	.40	4.00	15.00	65
Speckled, Small Flat Bean40	4.00	15.00	73

BEETS.

The soil best suited to the Beet is a deep, light and rich loam. For very early crops, the seed is sown in hotbeds, and the seedlings are transplanted to the open ground. For main crop, the seed is sown outside as soon as the soil is in good condition, in drills from 12 to 15 inches apart, and covered about an inch deep; the plants are thinned to stand 4 or 5 inches apart in the rows. For winter crops, sow seeds in June, in drills, as for early Beets. An ounce of seed will sow 100 feet of drill; five or six pounds will sow an acre.

	Oz.	¼ lb.	Lb.	Days
Asgrow Wonder, (New Dark Red), round deep red root.....	.35	1.00	2.50	57
Early Blood Turnip, bright red turnip root.....	.35	1.00	2.50	68
Early Wonder, semi-globular dark purplish red root.....	.35	1.00	2.50	58
Detroit Dark Red Turnip Beet35	1.00	2.50	68
Mammoth Long Red, Stock35	1.00	2.50	110
New Crosby's Egyptian, dark red flat globe root.....	.35	1.00	2.50	60
True Sugar, long white root35	1.00	2.50	102
Yellow Globe, Stock35	1.00	2.50	102

BROCCOLI.

	Oz.	4 Oz.
Italian Green Sprouting50	1.50

A distinct variety, extensively cultivated by Italian gardeners. Plant forms a large, solid head which remains green. When the central head is cut, numerous sprouts develop from the leaf axes, each sprout terminating in small green heads, which are bunched for market.

BRUSSELS SPROUTS.

	Oz.	4 Oz.
Dwarf Improved50	1.50

Species of Cabbage: cultivation the same.

CABBAGE.

Seed sown in hotbed or greenhouse about February 15 will give plants large enough to transplant into hotbeds about March 10. Set them 2 or 3 inches apart each way, and as soon as they become well established remove the glass for part of the day, to harden them for final transplanting into the open ground, increasing the exposure daily until April 10 or 20, when the final transplanting may be made. Plants for this early crop need not stand further apart than 1½x2 feet. For late crops, sow seeds in April or May, and transplant to the open ground when large enough, setting the plants up to the first leaf, and 2x3 feet apart. It is important that the plants should not stand thick in the seedbeds, as this would induce weak, slender plants.

One oz. to 1500 plants; 2 oz. to the acre.

	Oz.	Days
All Seasons, medium early round head. Yellow-resistant.....	.50	87
Copenhagen Market, early round head. Yellow-resistant50	69
Danish Ballhead, late round head50	103
Early Dwarf Flat Dutch50	90
Early Jersey Wakefield, early peaked head50	63
Golden Acre, extra early round head50	64
Improved American Savoy, early peaked head. Curly leaf.....	.50	76
Jersey Queen, early peaked head. Yellow-resistant.....	.50	66
Mammoth Rock Red, round head50	100
Marion Market, medium early round head. Yellow-resistant.	.50	79
Selected Flat Dutch, late50	100
Wisconsin Hollander, early round head. Yellow-resistant.....	.50	105

CARROT.

Carrots succeed best on heavy loam, which preferably should have been well fertilized the previous year, as fresh manure often causes the roots to grow pronged and misshapen. Sow the seed as early in the spring as the ground can be prepared, firming the soil down over them. *
One ounce of seed will sow 200 feet of drill; 2 pounds will sow an acre.

	Oz.	¼ lb.	Lb.	Days
Chantenay Half Long (The Model)35	1.25	3.50	72
Excellent medium early half-long stump rooted variety; roots about 6 inches long, very thick, smooth and of a deep orange-red color.				
Danver's Half Long35	1.25	3.50	72
Good for all purposes.				
Long Orange35	1.25	3.50	88
Large; good for stock also.				
Nantes Improved Coreless35	1.25	3.50	70
Reddish orange, blunt end root.				
Oxhart35	1.25	3.50	72
Roots short and very thick.				

CAULIFLOWER.

Culture for Cauliflower and cabbages is essentially the same, but to the former extra care given in applying fertilizers and moisture well repays the gardener. Sow the seeds for early and late crops as directed for cabbage, but do not set the early plants in the open field too soon, for if too much stunted by severe frosts they begin to form heads before they are strong enough to develop them well. Plants which have not headed before winter sets in may be stored in a cool cellar or coldframe, and will form heads there without any further attention.

One oz. to 1500 plants; 2 oz. to the acre.

	Pkt.	¼ Oz.	½ Oz.
Early Snowball, Dwarf10	.75	1.50

CELERIAC.

Sow in early spring; transplant the seedlings in May. They will be ready for cooking in October and may be preserved in dry sand for use during winter.

	Oz.
Turnip Rooted Celery, used for celery flavor in soups.....	.50

CELERY.

Celery can be grown on any garden soil, but is finest on deep, mellow bottom land. Seed for early crops should be sown in hotbeds about March 15. The plants may either be thinned to give them room to grow, or transplanted to another bed to grow until it is time to plant them in the open ground. For main crop, seed should be sown in the open air as soon as the soil and air are warm enough. They should be covered lightly, or merely pressed into the earth with a board if the soil is fine and mellow. The seedbed must be kept free from weeds and well watered in dry weather. When the plants are large enough, transplant them to shallow trenches or furrows from 4 to 6 feet apart, according to the variety grown, setting the plants 6 inches apart in the rows and pressing the soil firmly around them. One oz. to 10,000 plants.

	Oz.
Celery Cabbage or Chinese Lettuce.	
Wong Bok, short variety50
Pe Tsai, tall variety50
Giant Pascal, green garden variety50
Golden Self Blanching, gold garden variety50
White Plume, white garden variety50

COLLARDS.

	Oz.
True Georgia25
Used as Greens. A non-heading type of cabbage.	

SWEET CORN.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

The Sweet or Sugar varieties being liable to rot in the cold or wet ground, should not be planted before May, or until the ground has become warm, and for a succession continue planting every two weeks, until the middle of July, in rich, well-manured ground in hills three feet apart each way, covering about half an inch and then thin out three plants to a hill, or plant in rows four feet apart and to stand eight inches apart in the rows. One-quarter pound to 100 feet; 1 gallon to the acre.

	Lb.	¼ Bu.	Bu.	Days
Adam's Early, ears 12-14 rowed, white30	2.50	8.00	72
Adam's Extra Early, ears 12 rowed, white.....	.30	2.50	8.00	66
Adam's Imp., ears 12-14 rowed, white30	2.50	8.00	74
Black Mexican, ears 8 rowed, white, black at maturity.....	.40	4.00	12.00	88
Country Gentleman, rows irregular, white40	4.00	12.00	95
Early Evergreen, ears 16-18 rowed, white.....	.40	4.00	12.00	90
Early Mammoth, ears 12-16 rowed, white.....	.40	4.00	12.00	74
Golden Bantam, ears 8 rowed, yellow40	4.00	12.00	85
Golden Country Gentleman, rows irregular, yellow.....	.40	4.00	12.00	95
Golden Cross Bantam, ears 10-14 rowed, yellow.....	.60			85
Golden Evergreen, ears 10-16 rowed, yellow.....	.40	4.00	12.00	95
Golden Sunshine, ears 10-12 rowed, yellow.....	.40	4.00	12.00	72
Howling Mob, ears 12-16 rowed, white.....	.40	4.00	12.00	83
Kendall's E. Giant, ears 12-14 rowed, white.....	.40	4.00	12.00	85
Late Mammoth, ears 10-18 rowed, white.....	.40	4.00	12.00	98
Shoe Peg, rows irregular, white40	4.00	12.00	95
Stowell's Evergreen, ears 16-20 rowed, white.....	.40	4.00	12.00	95
Stowell's Evergreen Hybrid, ears 16-18 rowed, white.....	.60			93
Whipples Early Yellow, ears 12-14 rowed.....	.40	4.00	12.00	87
Whipple's Early White, ears 14-18 rowed.....	.40	4.00	12.00	85

CORN SALAD.

Sow the seed thickly in shallow drills in September, and firm the soil well down above it, if the weather be dry. Highly appreciated, and much grown where other salads and lettuces do not succeed. An ounce of seed will sow a bed 20 feet square.

	Oz.	¼ Lb.
Large Leaf50	1.50
Fine for salad.		

CRESS.

Curled or Pepper Grass	Oz. .35
Used for salad; very pungent.	
True Water Cress50
Delicious flavor; very wholesome.	

CUCUMBERS.

The seed can not be planted in the open ground before the weather has become warm and settled, and the ground mellow and light. Plant the seeds in well-enriched hills about 4 feet apart each way, and as soon as all danger from insects is over thin the plants to leave four of the strongest in each hill. One oz. to 50 hills; 1 pound to the acre.

	Oz.	¼ lb.	Lb.	Days
Chicago Pickling, medium green, warted, small.....	.25	.75	2.50	59
Early Cluster, medium green, small25	.75	2.50	55
Early Fortune, White Spine variety, dark green, long.....	.25	.75	2.50	64
Improved Long Green, deep green, warted25	.75	2.50	67
Lemon, round, lemon color.....	.25	.75	2.50	65
Longfellow, dark green, long25	.75	2.50	70
Straight Eight, medium green, long25	.75	2.50	66
The Davis Perfect, dark green, long25	.75	2.50	65
West India Gherkin, Pickling, oval, pale green, prickled.....	.25	.75	2.50	60
White Spine, medium green, white ribbed, large.....	.25	.75	2.50	65
White Wonder, white, large, clustered25	.75	2.50	60

EGG PLANT.

Sow the seed in hotbeds early in March, transplant to small pots and plunge them in the same beds; this is to make them strong and stocky. They should not be planted out until May or June, when the weather becomes warm and settled, as cool nights and wet weather will check their growth. Set the plants in rows 3 feet apart each way and give them thorough cultivation, drawing the earth up to the stems when they are about a foot high. Repeated sowings are sometimes necessary, as the seed does not germinate freely without strong and uniform heat. One oz. to 2,000 plants.

	Oz.	Days
Black Beauty50	80
New York Improved Spineless50	83

ENDIVE.

This is an important fall and winter salad. For early, the seed should be sown in April, in drills 15 inches apart, and the seedlings thinned to stand 12 inches apart in the rows. Sowings for the main crop may be made in June and July, as the vegetable is used principally in fall and winter. The inner leaves are blanched by tying the tips of the outer ones together, or by laying boards over the plants.

One-fourth oz. to 100 feet of drill.

	Oz.	¼ lb.	Days
Broad Leaf Batavian25	.75	92
Thick, slightly wrinkled; forming a loose head.			
Green Curled25	.75	95
White Curled25	.75	100

KALE.

One oz. to 2,000 plants: 1 pound to the acre.

	Oz.	¼ lb.	Lb.	Days
Dwarf German Green, deep green, broad leaves.....	.25	.60	1.75	55
Improved Siberian, deep green, large frilled leaves.....	.25	.60	1.75	65
Tall Curled Scotch, light green, deep leaves.....	.25	.60	1.75	60

KOHL RABI.

Very palatable when prepared for the table like turnips. If the weather is favorable the seed should be sown in April, in rows 18 inches apart, and the seedlings thinned to stand a foot apart. One-half oz. to 100 feet of drill.

	Oz.	Days
Early Purple Vienna50	62
Early White Vienna50	55

LEEK.

Used for seasoning soups and boiling with meats. The seed should be sown in hotbeds in early spring, and the seedlings transplanted later to the open ground, 8 inches apart, in rows from 12 to 15 inches apart. One-half oz. to 100 feet of drill.

	Oz.
Broad Scotch or London Flag50

LETTUCE.

Seed for the first outdoor crop is usually sown in hotbeds in February, and the seedlings transplanted to the garden in April, 8 to 12 inches apart, in rows 12 inches apart. For a succession until frost, sow in drills in the open ground at intervals of every two or three weeks, and thin the plants to stand 6 to 8 inches apart. For plants to force in hotbeds from November until spring, sow seed in hotbeds in the fall, and cover up as winter approaches, until the plants are required for use. Or the seed may be sown in hotbeds early in winter and the seedlings transplanted when large enough into fine and well-prepared garden soil. One-fourth oz. to 100 feet of drill; 2 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Big Boston, medium head, green tinted with red.....	.25	.75	3.00	75
Black Seeded Simpson, large frilled leaf, yellow-green.....	.25	.75	2.00	46
Stands heat well.				
Early Curled Simpson, large leaf, yellowish-green.....	.25	.75	2.00	45
Good for forcing and out doors.				
Grand Rapids, large curley leaf, light green.....	.25	.75	2.00	43
Extra fine for forcing.				
Hanson, large head, yellowish-green25	.75	3.00	80
Stands drought and hot sun well.				
Iceberg, large head, light green25	.75	3.00	84
The hardest heading variety of all.				
Paris White Cos, Trianon or Romain, dark green for poultry..	.25	.75	2.00	66
Prize Head, light green leaf, red edge.....	.25	.75	2.00	47
Leaves frilled and blistered; very crisp.				
N. Y. or Wonderful25	.75	3.00	80
A large late sort, cabbage heading variety, with large, crumpled, dark green leaves. Similar to N. Y. cabbage.				

MUSHROOM SPAWN.

American Pure Culture Spawn	1 lb. Brick	.50
-----------------------------------	-------------	-----

MUSKMELON.

Muskmelon seed should not be planted outdoors until the ground has become warm and dry. The hills should be about 6 feet apart, and carefully prepared. Rich earth is far better for the young plants than manure; but if the latter must be used see that it is well rotted. Plant from six to twelve seeds in a hill, and when the young seedlings are strong enough to resist the attacks of insects, thin them, leaving three of the strongest in each hill. One oz. to 50 hills; 1 to 2 pounds per acre.

	Oz.	¼ lb.	Lb.	Days
Banana, salmon flesh, banana shape15	.50	1.25	98
Hale's Best No. 45, deep salmon flesh.....	.15	.50	1.25	82
Honey Dew, emerald green flesh15	.50	1.25	112
Honey Rock, orange-salmon flesh15	.50	1.25	81
Hoodo or Hearts of Gold, yellow flesh.....	.15	.50	1.25	90
Rocky Ford. Colorado grown Netted Gem, green flesh.....	.15	.50	1.25	92
Tip Top, yellow flesh15	.50	1.25	90

MUSTARD.

The young and tender leaves of the mustard are greatly relished as salads or when cooked like spinach. The seed should be sown in shallow drills as early as the ground can be prepared in spring, and the leaves cut when several inches long.

	Oz.	¼ lb..	Lb.	Days
Fordhook, bright green fringed leaf10	.35	1.25	60
Mustard Spinach10	.25	1.25	45
A Japanese plant of the Mustard family which has become popular with the gardeners for its extremely quick habit of growth, producing a marketable crop of excellent mild mustard greens in about four weeks from seed.				
Ostrich Plume, light green fringed leaf.....	.10	.25	1.25	60
Southern Giant Curled, light green heavy leaf.....	.10	.25	1.25	40
White, for seasoning10	.25	1.25	

OKRA.

The tender young pods are used for seasoning soups and stews. Sow the seeds thickly in rich soil about the middle of May, in drills 3 feet apart, and cover the seeds an inch deep. Two oz. to 100 feet of drill.

	Oz.	¼ lb.	Days
Dwarf Green, deep green pods10	.25	50
Perkins' Mammoth Green, deep green pods, tall.....	.10	.25	56
White Velvet, white pods, early10	.25	60

ONION.

Onions thrive best on a rich, deep, loamy soil. For sets, the seeds should be sown very thickly in drills as early as possible in spring. In summer, as soon as the tops die down, harvest the bulbs and store them in a dry, cool place, spreading them in thin layers. Early in the following spring replant them 4 inches apart, in small drills 12 inches apart, and they will form into fine, large bulbs early in the season. Large Onions may also be grown from seed the first season if the land is strong and well manured, the seed sown thinly in drills a foot apart, and the seedlings thinned to stand 3 or 4 inches apart in drills; they must be well cultivated and kept free from weeds. Five pounds per acre will be required for large onions; for sets, 25 to 30 pounds.
One-half oz. to 100 feet of drill.

	Oz.	¼ lb.	Lb.	Days
Extra Large Red Wethersfield, medium large, flat.....	.75	2.50	8.00	100
Mammoth Prizetaker, Yellow, large globe.....	.75	2.50	8.00	105
Southport Large White Globe75	2.50	8.00	110
Southport Large Red Globe75	2.50	8.00	110
White Silverskin or Portugal, medium, thick-flat.....	.75	2.50	8.00	100
Yellow Bermuda, medium, flat75	2.50	8.00	93
Yellow Globe Danvers75	2.50	8.00	100

PARSLEY.

Much used for garnishing and flavoring soups, stews, etc. The seed is slow to germinate, and should be sown as early as possible, in drills 12 inches apart, thinning plants in rows 4 to 6 inches apart. One-half oz. to 100 feet of drill.

	Oz.	Days
Green Curled25	85
Moss Curled. Finely cut and curled for garnishing.....	.25	70
Plain, for flavoring25	72

PARSNIP.

Sow the seed in drills 15 inches apart as early as possible in spring, and thin the plants until they are 5 or 6 inches apart in the rows. The roots are much improved by frost; to be dug up as required. On the approach of cold weather, cover them heavily with manure or litter. Deep, rich, heavy soil is best suited to the culture of Parsnips, and the roots will be smooth and large if no fresh manure is used, as this tends to make them coarse-grained and misshapen. One-half oz. to 50 feet of drill; 8 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Large Hollow Crown Sugar25	.75	2.50	95

PEAS.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

Peas succeed in light, dry, loamy soil. Early and dwarf sorts require richer soil than the late varieties. If manure is used let it be old and well rotted, or there will be a rank growth of vines with few pods. Sow the early, smooth, round sorts as early in spring as the ground can be worked. Seeds of wrinkled varieties are more liable to rot if the ground is cold and must be planted later. Sow all the varieties quite early and depend for succession upon the different times of ripening of the various sorts, or from the first sowing sow every two weeks until June for a succession. One-half pound to 100 feet; 2 bushels to the acre.

	Lb.	¼ Bu.	Bu.	Days
Alaska40	4.00	15.00	57
The very earliest and best blue pea. Height, 2 ft.				
American Wonder40	4.00	15.00	61
Well known and very popular. Height, 1 ft.				
Black Eyed15			

PEAS—Continued

	Lb.	¼ Bu.	Bu.	Days
Champion of England, Pole Well known standard variety. Height, 5 ft.	.40	4.00	15.00	80
Chicago Market Wrinkled variety: height 2½ ft.; about one week later than Gradus.	.40	4.00	15.00	62
First and Best Very Early. Height, 2½ ft.	.40	4.00	15.00	58
Gradus, or Prosperity One of the earliest of wrinkled varieties; large pods. Height, 2½ ft.	.40	4.00	15.00	65
Laxtonian Large, full pods; fine quality. Height, 1½ ft.	.40	4.00	15.00	63
Laxton Progress Few days earlier than Laxtonian. Vines 18 inches tall, pods 4 inches long. A valuable new variety.	.40	4.00	15.00	62
Little Marvel Vine strong and vigorous, about 18 inches tall. Showy pods about 3 to 3½ inches long, blunt ended. Seed large, green, wrinkled. A very fine productive, dwarf, sturdy variety.	.40	4.00	15.00	64
Luscious Sugar, Edible pods. Height, 4 ft.....	.40	4.00	15.00	74
McLean's Little Gem Very prolific; a garden favorite. Height, 1 ft.	.40	4.00	15.00	64
Nott's Excelsior An improvement on American Wonder. Height, 1 ft.	.40	4.00	15.00	62
Telephone, Pole Enormous pods; fine quality. Height, 4½ ft.	.40	4.00	15.00	80
Thomas Laxton Similar to Gradus only a few days later.	.40	4.00	15.00	62
World's Record An improved type of Gradus, being slightly earlier, more dwarf, true to type and productive. Height 2½ feet. Vines moderately stout, medium green; pods medium green, 4 in. long, very broad, pointed and well filled with 7 to 8 very large, dark green peas of exceptional quality.	.40	4.00	15.00	57

PEANUT.

Make rows two or more feet apart, and drop seed eight inches apart. Matures very early, and may be planted after oats in July.

	Lb.
Virginia50

PEPPER.

Sow in hotbed as early as April, and transplant to rich, warm, mellow soil, as soon as the weather has become warm and settled, setting them about 2 feet apart in drills 3 feet apart. One oz. to 1,500 plants.

	Oz.	4 Oz.	Days
California Wonder, Crimson Fruit, 4 lobed, mild and sweet.....	.50	1.50	75
Cayenne Fruit long, hot and pungent.	.50	1.50	70
Long Hungarian (Yellow or Banana), early, hot.....	.50	1.50	65
Pimento, heart shaped, mild and sweet.....	.50	1.50	73
Red Chili Small and prolific. Used for pepper sauce. Hot.	.50	1.50	82
Ruby Giant, and Chinese Giant, 4 lobed, mild and sweet..... Largest of all. Red.	.50	1.50	75
Ruby King, 3 lobed Fruit very large; bright red color. Very mild.	.50	1.50	68
Sunnybrook A tomato-shaped sweet, red pepper of much merit. Fruit smooth, upright, 3 in. in diameter by 2½ in. in depth with thick flesh; moderately early.	.50	1.50	73
Sweet Golden Queen, 3 lobed, mild and sweet.....	.50	1.50	78
Sweet Mountain Large; square shaped and mild.	.50	1.50	73
Worldbeater, 4 lobed, mild and sweet.....	.50	1.50	75

POP CORN.

	Lb.	Days
Golden Queen, large eared, 12-16 rowed25	90
Japanese Hulless, short eared, 18 rowed, white.....	.25	85
South American, large eared, 12-14 rowed, yellow.....	.25	90
White Rice, medium eared, 10-16 rowed25	90

PUMPKIN.

Grown principally for stock-feeding, yet some are so sweet, juicy and fine-grained that they will always be considered indispensable for pies and sauces. The vines require the same culture as that recommended for melons, but the seeds must be planted in hills much wider apart; frequently they are planted among corn. A pound of seed will plant from 200 to 300 hills. One to two pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Cushaw, Golden10	.25	.75	112
Similar to White Cushaw, except in color of shell, which is golden yellow.				
Cushaw, Striped10	.25	.75	112
Of the crookneck type with mottled green and white stripes; flesh yellow, very solid and fine grained.				
Cushaw, White10	.25	.75	110
Long, white, crookneck; fine for table or stock.				
Japanese Pie, crookneck, flesh deep yellow.....	.10	.25	.75	110
Small Sugar, round fruit, bright orange color.....	.10	.25	.75	108
Sweet Cheese or Kentucky Field, round fruit, deep yellow color10	.25	.50	120

RADISH.

Sow in sheltered spot, the earth being deeply dug, highly fertilized, and raked free from clods and stones. Radishes grown on poor, thin soil cannot be made good; they will be misshapen and tough. To be good they must be grown quickly. Radishes can be forced by covering with a window or a sash. One oz. to 100 feet of drill; 10 to 15 pounds per acre.

	Oz.	¼ lb.	Lb.	Days
Celestial, or White Chinese10	.30	.75	60
Best for fall; very large white radish. Round root.				
China Rose Winter, long root, white flesh.....	.10	.30	.75	52
Cincinnati Market, long root, red skin, white flesh.....	.10	.25	.75	28
Crimson Giant10	.25	.75	28
Extremely large but never pithy; suitable for forcing or open cultivation; tender and crisp. Round root.				
Early Scarlet Turnip Forcing White Tip.....	.10	.25	.75	26
French Breakfast, oblong root, scarlet with white tip.....	.10	.25	.75	25
Icicle10	.25	.75	27
Long, smooth, white forcing radish.				
Long Black Spanish Winter, white flesh.....	.10	.30	.75	58
Round Black Spanish Winter, white flesh.....	.10	.30	.75	56
Scarlet Globe10	.25	.75	24
Fine for forcing and open ground; very early. Round root.				
White Strasburg, long white root10	.25	.75	39

RHUBARB.

Sow the seed early, and when the plants are large enough thin them to 4 or 5 inches apart. The next spring or fall transplant them 3 feet apart each way in deep, rich soil. For forcing, take up some large roots and place them in a dark corner of the cellar or greenhouse. Two oz. to 100 feet of drill.

	Oz.	¼ lb.
Victoria25	.75

SALSIFY, OR OYSTER PLANT.

When cooked, the roots have something of the flavor and odor of oysters. They may be boiled, used in soups, or grated and fried as fritters. Culture the same as for parsnips and carrots. Roots are perfectly hardy, and may be left in the ground all winter. A quantity of roots for winter use may be stored in a pit or in sand or damp earth in a cellar. One oz. to 100 feet of drill.

	Oz.	¼ lb.
Mammoth Sandwich Island50	1.25

SPINACH.

One of the most important crops grown for greens, and may be had in good condition from very early in the spring until cold weather. For early use sow very early in spring, and for succession at intervals. The main crop for spring and winter use should be sown in September and the plants covered for winter.

One-half oz. to 100 feet of drill; 6 to 8 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Bloodsdales Savoy, large crumpled dark green leaves.....	.10	.35	1.00	42
Long Standing, large crumpled dark green leaves.....	.10	.35	1.00	42
New Zealand, small thick dark green leaves.....	.10	.35	1.00	70

SQUASH.

Seeds should not be planted in spring until all danger of frost is past. Plant in hills 5 feet apart for bush varieties and 6 to 8 feet apart for running sorts, putting 6 to 8 seeds to the hill, finally leaving but 3 plants.

One-half pound to 200 or 300 hills; 2 to 3 pounds per acre.

	Oz.	¼ lb.	Lb.	Days
Acorn, vine, Fall type15	.35		100
Banana Squash, vine, Fall type.....	.15	.35		105
Boston Marrow, similar to Hubbard, vine, Fall type.....	.15	.35		100
Delicious, vine, Fall type15	.35		100
Early Yellow Bush Scallop, Summer type15	.35		58
Early White Bush Scallop, Summer type.....	.15	.35		56
Golden Hubbard, vine, Fall type.....	.15	.35		100
Green Cocozelle, bush, Summer type15	.35		63
Italian Marrow, vine, Fall type15	.35		97
Straight Neck, bush, Summer type15	.35		50
Summer Crook-Neck, bush, Summer type.....	.15	.35		52
Warty Hubbard, vine, Fall type15	.35		110
Zucchini, bush, Summer type15	.35		62

SWISS CHARD, SILVER OR SEA KALE.

Grown exclusively for its leaves, which can be used and served like Spinach. Cultivation same as Beets.....	Oz.	¼ lb.	Lb.	Days
	.25	.75	2.00	50

TOBACCO

Sow the seed in plant bed in March. Transplant when five or six leaves appear. Set in rows 3½ feet apart, 18 to 30 inches apart in the row, according to variety. When the bud appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growing from the stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the stock in a shed to dry.

	Oz.
Connecticut Seed Leaf50
Well Known Variety.	
White Burley50
Havana50

TOMATO.

As the plants advance in growth support them by brushwood. To have the Tomato very early it is necessary to start the plants in a hotbed, or they may be reared in a flower pot in a window and subsequently transplanted. Plants for an early crop should be raised under glass. For intermediate crop they may be raised on outside beds. For late crops the seed may be planted in permanent position.

One oz. to 2,500 plants; 2 ozs. to the acre.

	Oz.	¼ lb.	Lb.	Days
Bonny Best, A good forcing variety.....	.50	1.50		73
Very early; vigorous and productive; color scarlet.				
Break O'Day, orange-red round fruit50	1.50		70
Crimson Cushion (Beefsteak or Enormous).....	.50	1.50		90
The largest of the bright red tomatoes; really a Red Ponderosa.				

TOMATO—Continued

	Oz.	¼ lb.	Days
Dwarf Champion Very early; dark purplish red.	.50	1.50	86
Golden Ponderosa Largest of the yellow tomatoes and similar to Ponderosa except in color of fruit.	.50	1.50	89
Golden Queen Yellow; ripens early; is large size, smooth and solid.	.50	1.50	84
Greater Baltimore, Indiana Strain Large as Stone; deep red, very solid and productive.	.50	1.50	79
John Baer A very early, large red variety of fine quality.	.50	1.50	70
June Pink, earliest pink50	1.50	69
Marglobe Certified, deep red, round, smooth.....	.50	1.50	77
Oxheart, heart-shape, rough, pink50	1.50	90
Ponderosa The largest tomato grown; rich crimson; solid flesh.	.50	1.50	88
Pritchard or Red Topper, round, light scarlet.....	.50	1.50	76
Prolific Early red variety of fine quality.	1.00	3.00	86
Red Pear Rutger, bright red, round, smooth50	1.50	73
Rutger, bright red, round, smooth50	1.50	86
Spark's Earliana Very early; bright red, smooth and of good size and excellent flavor.	.50	1.50	66
The Stone Very large and smooth; ripens evenly bright scarlet.	.50	1.50	92
Yellow Pear50	1.50	73

TURNIP.

For early, sow as soon as the ground can be prepared, in drills 15 inches apart, and thin the plants to stand 8 inches apart. Sow for succession at intervals of two weeks until the last week in July, and from that time onward until the last of August sow for main crop. The sowings should always be made just before a rain, if possible, as the success of the crop depends, in a great measure, upon quick germination and rapid growth of the young plants. One oz. to 300 feet of drill; 1 pound to the acre.

	Oz.	¼ lb.	Lb.	Days
American Purple Top Ruta Baga, round15	.50	1.50	90
Extra Early White Milan, flat15	.50	1.50	42
Early Purple Top Milan, flat15	.50	1.50	42
Red, or Purple Top Strap Leaf, flat.....	.15	.50	1.50	46
Red Top White Globe, round15	.50	1.50	57
Seven Top, grown for greens15	.50	1.50	

WATERMELON.

Secure good strong vines early in the season by making the hills large, mellow and well drained, with the manure placed so that they will not dry out quickly under hot suns. All possible protection from insects should be given the young plants, and as a protection from insects, use dry ashes or coal dust sprinkled over the leaves. Plant the seeds thickly, and thin the plants to four of the strongest in each hill.

One oz. to 50 feet of drill; 1 to 2 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Cuban Queen, round striped10	.25	.75	90
Dixie Bell or Stone Mountain, Wilt Resistant, round green.....	.10	.25	.75	90
Dixie Queen, round striped melon. Seeds very small and white	.10	.25	.75	85
Early Kansas, round striped melon well suited for shipping.. Seeds buff color.	.10	.25	.75	80
Halbert's Honey, long green10	.25	.75	82
Irish Grey, long grey10	.25	.75	95
Kleckley Sweet, Wilt Resistant, long green.....	.10	.25	.75	85
Klondike, Wilt Resistant Strain, long green.....	.10	.25	.75	80
Monte Cristo, long green10	.25	.75	85
Rattlesnake, long striped10	.25	.75	90

HERBS.

Caraway—Seeds used for flavoring	
Celery Seasoning—Used for seasoning	
Chervil—Used for flavoring Soups	
Chicory—Large rooted—The dried leaves are roasted and mixed with Coffee or used as a substitute	
Coriander—Seeds used for flavoring	
Dill—Used for flavoring Pickles	
Lavender—Leaves very fragrant	
Rosemary—Leaves very fragrant	
Sage—A highly aromatic Herb, most useful of all.....	
Savory, Summer—Used as a seasoning	
Savory, Winter—Used as a seasoning	
Sorrel—Large leaved, French—Used as a Salad or cooked as Greens.....	
Sweet Basil—Leaves used for flavoring	
Sweet Marjoram—Used as a seasoning	
Thyme—Used as a seasoning	

Rhubarb Roots }
 Asparagus Roots } Prices on application.

PLANTS

In Season

VEGETABLES

Tomato	Pepper
Cabbage	Sweet Potato
Cauliflower	Egg Plant

FLOWER

Aster	Pansy
Salvia	Gaillardia
Snapdragon	Stock
Zinnia	Shasta Daisy
Petunia	Canterberry Bells
Verbena	Hardy Phlox

ASK FOR PRICES



ASTERS



ZINNIA

FLOWER SEED AND SUPPLIES

	Pkg.
Ageratum, Blue, Dwarf10
Ageratum, White, Dwarf10
Ageratum, Midget Blue10
Alyssum, White05
Alyssum, Yellow05
Antirrhynum, Mixed20
Alyssum, Dwarf, Violet Queen	5-.10
Varieties, Red .10 pkg. Pink .10 pkg. Yellow .10 pkg. Purple .10 pkg.	
Bronze .10 pkg. Rust Proof. ¼ oz. .75 all.	
Aster, Crego, Crimson10
Aster, Crego, Peach Blossom10
Aster, Crego, Purple10
Aster, Crego, Deep Rose10
Aster, Crego, White10
Aster, Crego, Mixed10
Aster, Giant Comet10
Aster, Wilt Resistant, Mixed10
Aster, Perennial Mixed20
Balsam (Lady Slipper)05
Balsam, Bush, Mixed10
Calendula, Yellow05
Calliopsis, Yellow05
Candytuft, Mixed and White05
Canterbury Bells, Blue, Double Medium05
Canterbury Bells, Cup and Saucer, Mixed05
Cannas, Mixed10
Carnation, Hardy, Mixed10
Carnation, Marguerite10
Celosia, Royal Velvet, Dwarf Empress Imp.10
Centaurea (Bachelor Button) Blue, Double.....	.05
Centaurea (Bachelor Button) Mixed05
Centaurea, Jubilee Gem, Blue10
Centaurea, Sweet Sultan05
Clarkia, Mixed05
Cleoma05
Coleus, Mixed10
Columbine, Aquilegia, Mixed10



DOUBLE PETUNIA



MIXED LARKSPUR

FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Coreopsis, New Gold, Double05
Cosmos, Double Crested, Mixed10
Cosmos, Extra Early Single, Mixed05
Cosmos, Klondyke (Orange)05
Cosmos, Sensation, Pinkie and Purity (Pink and White)05
Chinese Woolflower, Scarlet05
Chrysanthemum, Double, Mixed05
Daisy, African20
Daisy, Double English, Dwarf, Mixed.....	.10
Daisy, Pyrethrum Roseum20
Daisy, Shasta (White)10
Daisy, Swan River05
Dahlia, Double, Mixed10
Dahlia, Single, Mixed10
Delphinium, Mixed20
Didiscus, Blue Lace Flower05
Forget-Me-Not, Alpestris Blue10
Forget-Me-Not, Chinese10
Euphorbia (Snow on the Mountain)05
Fox Glove (Digitalis) Mixed05
Gaillardia (Blanket Flower) Mixed	5-.10
Geranium, Double, Mixed10
Gomphrena (Globe Amaranth) Mixed05
Gypsophila, Pink, Annual	5-.10
Gypsophila, White, Perennial and Annual	5-.10
Heliotrope, Mixed	5-.10
Hibiscus, Mixed and Red	5-.10
Hollyhock, Double, Mixed05
Hunnemannia Fumarifolia, Mexican Tulip Poppy05
Lantana, Mixed05
Larkspur, Double, Mixed05
Lobelia10
Lunaria (Honesty, St. Peter's Penny, Money Plant)05
Lupin, Mixed05
Marigold, African Yellow Supreme05
Marigold, French Double, Mixed05



SCARLETT O'HARA
MORNING GLORY



ZINNIA FANTASY
WILDFIRE

FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Marigold, Sunset Giant10
Marigold, French Dwarf, Harmony Hybrids05
Matricaria (Feverfew)05
Mexican Fire Bush (Kochia)05
Mignonette, Green and White05
Nasturtium, Dwarf, Mixed, Single05
Nasturtium, Dwarf Double, Mixed05
Nasturtium, Tall, Mixed05
Nicotiana (Flowering Tobacco) Mixed, Purple and White	5-.10
Nierbergia Hippomanica (Dwarf Cup Flower)20
Pansy, Giant Trimardeau, Mixed25
Pentstemon, Beard Tongue10
Petunia, Balcony, Rose Pink, White and Blue.....	.15
Petunia, Dwarf Rose Bedder10
Petunia, Fringed, Mixed50
Petunia, Flaming Velvet, Red15
Petunia, Heavenly Blue25
Petunia, Howard Star, Purple with White Throat15
Petunia, Hybrid Exquisite, Mixed10
Petunia, Rose of Heaven, Pink15
Petunia, Rosy Morn, Pink15
Petunia, Violet King	25-.35
Petunia, Double, Mixed50
Petunia, Single, Mixed10
Phlox, Drummondi, Mixed25
Phlox, Hardy35
Phlox, Star Choice25
Physalis (Chinese Lantern Plant) Mixed05
Pinks, Chinese Double, Mixed (Dianthis)05
Pinks, Chinese Single, Mixed (Dianthis)05
Poppy, American Legion05
Poppy, California Yellow05
Poppy, Oriental, Pink15
Poppy, Oriental Scarlet15
Poppy, Oriental, White15
Poppy, Oriental, Mixed15

FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Poppy, Shirley, Mixed05
Poppy, Double, Mixed10
Portulaca (Flowering Moss) Double, Mixed10
Portulaca (Flowering Moss) Single, Mixed05
Salpiglossis, Mixed05
Salvia Splendens, Bonfire, Dwarf	
Salvia Splendens (Flowering Sage) Red10
Salvia, Indigo Blue10
Scabiosa, Imperial Giants Blue Moon10
Scabiosa (Mourning Bride) Mixed	5-.10
Stock, Mixed05
Strawflower (Helichrysum) Mixed05
Sunflower, Double Golden Globe05
Sweet William, Double Hardy, Mixed05
Tithonia, Mexican Sunflower	
Tritoma, blooms first year10
Verbena, Crimson Globe10
Verbena, Lemon10
Verbena, Mixed05
Vinca (Madagascar Periwinkle)10
Viola Odorata, Mixed20
Wallflower, Mixed05
Zinnia, Dahlia Flowered, Mixed05
Zinna, Dahlia Flowered, White, Pink, Lavender, Red, Rose, Yellow, Purple.....	.05
Zinnia, Fantasy, Mixed05
Zinnia, Fantasy, Red and White10
Zinnia, Lilliput, Tom Thumb05
Zinnia, Lilliput, Mixed05
Zinnia, Lilliput, Red Riding Hood05
Zinnia, Mammoth, Mixed (California Giant)05
Zinnia, Star Dust, Yellow Fantasy10

VINES.

	Pkg.
Balsam Apple, Red Fruit05
Cardinal Climber05
Castor Bean or Ricinus Maderia05
Chinese Cinnamon10 each
Clematis, White05
Coboea Scandens05
Cypress, Mixed05
Four O'Clocks, Mixed05
Gourd, Dipper05
Gourd, Nest Egg05
Gourd, Ornamental, Mixed05
Gourd, Sugar Trough05
Hop Vine05
Hyacinth Bean, Mixed05

VINES—Continued

	Pkg.
Job's Tears, White05
Kudzu05
Moon Flower, White and Blue05
Morning Glory, Heavenly Blue05
Morning Glory, Mixed05
Morning Glory, Pearly Gates, White25
Morning Glory, Scarlett O'Hara10
Passion Vine05
Scarlet Runner05
Sunflower, Tall, Large Flower5-.10
Sweet Peas, Spencer, Blue05
Sweet Peas, Spencer, Purple05
Sweet Peas, Spencer, Rose05
Sweet Peas, Spencer, Scarlet05
Sweet Peas, Spencer, White05
Sweet Peas, Spencer, Yellow05
Sweet Peas, Spencer, Mixed05
Sweet Peas, Spencer, Hardy Mixed (Pink and White).....	.10
Thunbergia (Black Eyed Susan)05
Wild Cucumber05
Wild Flower Garden05

SPRING LILIES AND BULBS

LILIES

Amaryllis	Calla	Ismene
-----------	-------	--------

BULBS AND VINES

Cannas, all colors	Tuberose, double and single
Gladiolus, all colors	Caladium (Elephant Ear) Green
Dahlias, all colors	Caladium (Elephant Ear) Colored
Cinnamon Vine	Maderia Vine

FALL LILIES AND BULBS

Tulips	Grape Hyacinths
Narcissus	Madonna Lilies

Ask for prices

FLOWER POTS.

2½ inch size	2 for .05	8 inch size20
4 inch size05	9 inch size30
5 inch size07	10 inch size40
6 inch size10	12 inch size60
7 inch size15	Cemetery Vases15

PAPER FLOWER POTS.

2½ inch size	ask for prices	4 inch size	ask for prices
--------------------	----------------	-------------------	----------------

HANGING POTS.

8 inch size30	12 inch size75
10 inch size55	Ask for Quantity Prices On All	

FOR POTTED PLANTS.

Fulton's Plantabbs25 Box	Plant and Tree Labels..100 .25	1000 \$1.60
Ovene, Sheep Manure, Stick Form10 Box	Vitamin B1, Nu Vim, Tablet Form25 and .50 Box
Plant Dinner	10 and .25 Pkg.	Zenke's Plant Life.....	.25 Can

PEAT MOSS.

Boxes15 .30 .60 \$1.25	½ Bale	\$2.50	Bale.....	\$4.00
-------------	--------------------	--------------	--------	-----------	--------

FARM AND LAWN SEEDS AND SUPPLIES

COW PEAS.

Whippoorwill	Mixed	New Era
--------------	-------	---------

FARM GRAIN.

Prices subject to market change—Please ask for prices

Atlas Sorgo	20-30 lb per acre	Millet Seed, German	50 lb per-acre
Brome Grass	15-20 lb per acre	Millet Seed, Hungarian.....	50 lb per acre
Broom Corn	5-6 lb per acre	Milo Maize	20-30 lb per acre
Buckwheat	48-60 lb per acre	Rye Grass	25-35 lb per acre
Grohoma	20-30 lb per acre	Seed Rye	60-90 lb per acre
Kaffir Corn	20-30 lb per acre	Sudan Grass	25 lb-35 lb per acre

FARM SEEDS.

Prices subject to market change—Please ask for prices

Alfalfa, Common	15 lb-20 lb per acre	Meadow Fescue	14 lb per acre
Alfalfa, Grimm	15 lb-20 lb per acre	Orchard Grass Seed.....	14 lb per acre
Alsike Clover Seed.....	6lb-8lb per acre	Rape Seed, Dwarf Essex	6 lb-8 lb per acre
Blue Grass	14 lb per acre	Red Clover Seed.....	8lb-10lb per acre
Lespedeza, Common		Red Top	7 lb-10 lb per acre
(Japanese Clover) 10 lb-15 lb per acre		Sweet Clover Seed, White Blossoms	10 lb-15 lb per acre
Lespedeza, Korean....	10 lb-15 lb per acre	Sweet Clover Seed, Yellow Blossoms	10 lb-15 lb per acre
Mammonth Clover Seed	8lb-10lb per acre		

LAWN GRASS SEEDS.

Bent Grass	1 lb	\$1.00	10 lb	\$9.00
Blue Grass	1 lb	.40	10 lb	.37½
Chewings Fescue	1 lb			.75
Mixed Lawn Seed	1 lb	.35	10 lb	.32½
Blue Grass, Red Top, and White Clover.	50 lb-100 lb			\$30.00 per 100
Red Top	1 lb	.30	10 lb	.27½
Shade Mixture	1 lb	.45	10 lb	.42½
White Dutch Clover	1 lb			1.00
	50 lb-100 lb			\$25.00 per 100
	50 lb-100 lb			\$40.00 per 100

SEED CORN.

Certified Hybrid Seed Corn	Johnson County White, 110 days
	Red Cob White, 90 days
Large flat kernel, per bushel	Reid's Yellow Utility, 100 days

SOY BEANS.

Black Ebony	Manchu	Edible
Illini	Virginia	Kingwa

COMMERCIAL FERTILIZERS.

Ask for Prices—Prices Subject to Change
Subject to Government Regulations.

Adco 25 lb	0-12-12 125 lb
Bone Meal (2-24) 125 lb	0-14- 7 125 lb
0-10-10 125 lb	0-20-10 125 lb
0-10-20 125 lb	0-20-20 125 lb
	2-12- 6 125 lb

FERTILIZERS.

Ask for Prices—Prices Subject to Change
Subject to Government Regulations.

Aluminum Sulphate	Murate of Potash
Blood and Bone	Nitrate of Soda
Calomel	Sacco (4-12-4)
Corrosive Sublimate	Sheep Manure
Driconure	Sulphate of Ammonia
Dried Blood	20% Super Phosphate
Loma (5-10-4)	Tankage
Manganese Sulphate	Vigoro (4-12-4)
Milorganite	Wedo

GRAIN BAGS.

New Grain Bags, 16 oz.40
Used Grain Bags, 16 oz.25

INOCULATIONS.

McQueen's, for Alfalfa, Sweet Clover, Red and Alsike Clover.....	.30	.50	1.00
McQueen's, for Lespedeza, Cow Peas, and Soy Beans50	1.00
Nitrogen, for Alfalfa and all Clovers30	.50	1.00

INOCULATIONS—Continued

Nitrogen, for Cow Peas and Soy Beans30	.50	1.00	1.60	3.00
Nod-O-Gen, for all Clovers30	.50	1.00
Nod-O-Gen, for Soy Beans30	.50	1.00	1.60	3.00
Urbana Laboratories Inoculation (Jelly Form) 1 bu. size..... for all Clovers					.50
Urbana Laboratories Inoculation (Jelly Form) 5 bu. size..... for Soy Beans					1.00

SEED SOWERS.

Cyclone Seeders, Each	3.00
-----------------------------	------

SPRAYERS AND DUSTERS.

Ask for Prices—Prices Subject to Change

Arnold Improved Garden Hose Sprayer (Six Assorted Cartridges).....	
C. C. C. Sprayers	
Feeney Dusters	
Garden Hose Sprayers	
1 pint Sprayers	
1 quart Sprayers	
1 quart Continuous Sprayers	
2 gallon Tank Sprayers	
3 gallon Tank Sprayers	
½ gallon Continuous Sprayer	
Small Dusters	
2 gallon Compressed Air Sprayers	

SPRAYING MATERIAL AND DISINFECTANTS.

Ask for Prices—Prices Subject to Change

Acme Kopper Queen Mildew Spray	1 pint can	.60	½ pint can	.35
Acme Kopper Shield Pruning Paint	1 pint can			.40
Acme Scientific Complete Rose Spray Kit95
Arsenate of Calcium				
Arsenate of Lead				
Auxilin, root grower for cuttings	bottle			.50
“Black Leaf 40”, good for Aphis and other insects.....	1 oz. bottle			.35
4 oz. bottle \$1.05 1 lb. bottle \$2.50 2 lb. bottle \$4.00				
Black Leaf “155”	4 lb. box			\$1.10
Blue Vitriol (Copper Sulphate) Bulk.....	1 lb. bags	.15	25 lb. bags	\$3.00
100 lb. drums \$10.00				
Carbola, Disinfectant White Paint75		\$1.25
Carbon Disulphide, for disinfecting Seed Wheat.....	1 lb. can			.50
Ceresan, Grain Disinfectant	1 lb. can			.75
Coal-Tar Disinfectant and Animal Dip	½ pt. bottle	.20	1 pt. bottle	.35
1 qt. bottle .50 1 gal. bottle \$1.25				
Copper Carbonate, Seed Disinfectant	5 lb. box			\$1.00

SPRAYING MATERIAL AND DISINFECTANTS—Cont'd.

Copperace	1 lb	.35
Cuprocide, Seed Disinfectant	4 oz. pkg. .35 1 lb. can	\$1.00
Cyanogas, for fumigating Elevators, Warehouses, Greenhouses, and Mills ½ lb. can	.45	
5 lb. cans	\$3.00	
Cyanogas Ant Killer	4 oz. can	.35
Dandelion Killer	½ gal. can and distributor	\$2.75
Dolge Weed Killer	1 qt. bottle	.75
Dry Lime Sulphur, for dormant spray		
Dusting Sulphur		
Dutox	1 lb. bags .35 5 lb. bags	\$1.25
Eureka, Crab Grass Killer	can	\$1.00
Ever Green Spray, good for Aphis and Red Spider.....	1 oz. bottle	.35
4 oz. bottle	\$1.05 1 qt. can	\$3.50
E-Z-Bos, Stainless Stock Spray	1 gal. can	\$1.00
Fish Oil Soap	1 lb. can	.25
Fungi-Bordo, for fungus diseases and Anthracnose		
Hammond's Slug Shot, good for dusting purposes	5 lb. can	\$1.00
Hammond's Weed Killer	1 qt. can	.50
Helibore	1 lb. can	.50
Hormodin, stimulates rapid root growth on cuttings	bottle	\$1.00
Litening, Dandelion and Weed Killer	1 gal. can	\$2.00
Magnesium Arsenate	12 oz. box	.35
Mulsoid-Sulphur		
"Nico-Fume", used extensively in greenhouses	1 lb. can	3.00
4 lb. can	\$5.50 8 lb. can	\$10.00
"Nico-Fume" 1 lb. Pressure Fumigator for greenhouses75
Nursery Volck, for Red Spider and other insects.....	1 gal. can \$2.00 5 gal. can	\$6.25
Paradichlorbenzene, used for borers in orchards	1 lb. bag	.35
5 lb. bag	\$1.50 25 lb. bag	\$6.25
Paris Green		
Pestroy		
Red Arrow Garden Spray, good for Aphis and Red Spider.....	1 oz. bottle	.35
4 oz. bottle	\$1.05 1 qt. can	\$3.50
Rose-Aid, fine for dusting Rose Bushes		
Rotenone Dust, fine for bean beetle.....	1 lb. bags .30 2 lb. bags	.55
5 lb. bags	\$1.00 25 lb. bags \$4.50 50 lb. bags \$8.50 100 lb. bags	\$16.00
Rotenone Dust with Sulphur	1 lb. bags .30 2 lb. bags	.55
5 lb. bags	\$1.00 25 lb. bags \$4.50 50 lb. bags \$9.00 100 lb. bags	\$17.00
Semesan-Bel, Potato Disinfectant	4 oz. can .45 1 lb. can	\$1.50
Semesan Jr., Corn Disinfectant	4 oz. can .35 1 lb. can	\$1.00
Semesan, Seed Disinfectant	2 oz. can .50 1 lb. can	\$2.00
Scalecide, for dormant spray, dilute in water at the rate of one gallon to		
25 gallon of water.....	1 gal. can \$1.75 5 gal. can \$6.50 30 gal. drum	\$22.00
Selocide, good for Red Spider	1 gal. can	\$3.00
Spra-Mulsion, for dormant spray, mix at the rate of 1 gallon to 20 of water		
Sulfocide, a summer spray oil, mix at the rate of 1 gallon to 100 of water....	1 gal.	\$2.50
Tree Tanglefoot	6 oz. can .25 1 lb. can .50 5 lb. can	\$2.75
Tobacco Dust	1 lb	.10; 100 lb \$5.00
Tri-Ogen, Rose Spray	Boxes at \$1.50, \$4.00 and \$6.00	

PET AND POULTRY REMEDIES AND SUPPLIES

BIRD SEED AND SUPPLIES.

	1 lb.
Canary Seed25
Cedar Nuts40
Cuttle Bone05 and .10 Each
Flax Seed25
Millet Seed, Red and White20
Mixed Bird Seed25
Rape Seed25
Steel Cut Oats25
Sunflower Seed25
	Pkt.
Bird Balm (For Bald Spots)10
Bird Joy35
Bird Shipping Cages50 Each
Canary Cage Baths10 and .25 Each
Canary Cage Bird Swings10
Canary Cage Cups10 and .15 Each
Canary Cage Cuttle Bone Holders01
Canary Cage Perches05 and .10 Each
Canary Cage Springs15 and .25 Each
Canary Cage Wire Bird Nests10
Canary Leg Bands	Doz. .15
Kaempfer's Big Kernel Bird Asthma Tablets25
Kaempfer's Big Kernel Birdolene (Song Restorer)15
Kaempfer's Big Kernel Canary Highball10
Mrs. Halfin's Bird Nesting with Eggs15 and .25
Mrs. Halfin's Bird Rejuvenator (Song Restorer)15
Mrs. Halfin's Bird Tonic15
Mrs. Halfin's Bird Wash15
Mrs. Halfin's Cedar Bird Perches05
Mrs. Halfin's Color Food (Red and Yellow)15
Mrs. Halfin's Germicidal and Prophylactic25
Mrs. Halfin's Gravel Paper05
Mrs. Halfin's Lice and Mite Powder15
Mrs. Halfin's Moulting Food15
Mrs. Halfin's Natural Fish Food10
Mrs. Halfin's Parokeet Mixture20 and .30
Mrs. Halfin's Parrot Seed Mixture50
Mrs. Halfin's Parrot Tonic25
Mrs. Halfin's Polly Crackers10
Mrs. Halfin's 20 in 1 Pine Oil25
Mixed Parrot Seed, 2 lbs.50
Philadelphia Merican Salve25
Philadelphia Bird Bitters25
Philadelphia Bird Gravel (Red and Silver)15
Philadelphia Mite Powder25
Spratt's Cod Liver Oil Cage and Nestling Food20 and .30 pkts.
Spratt's Mite Traps25

BIRD SEED AND SUPPLIES—Continued

	Pkt.
Spratt's Sing Song15
Spratt's Song Restorer25
West's Magnesian Grit15
West's Special Mating Food40

DOG REMEDIES AND SUPPLIES

	Box
Bee Brand Shampoo25
Catnip Mice (For Cats)10
Disinfectant for Kennels20, .35, and .50 Bottles \$1.25 per Gallon Cans
Dog Feeding Bowls, Double50
"Dogzoff"60
Flea Combs (For Dogs and Cats).....	1.00
Fleischmann's Yeast for Dogs25
Miller's Dog Soap25
Milray Liquid Flea Soap25
Mrs. Halfin's Dog Soap10
Mrs. Halfin's Dry Wash15 and .35
One Spot Flea Powder25 .50
Pulvex Flea Powder25
Pulvex Sponge-Away (For Summer Eczema)25
Right-O Worm Capsules for Dogs25
Sergeant's Canker Wash50
Sergeant's Carbolic Tar Soap25
Sergeant's Cod Liver Oil Capsules50
Sergeant's Compound Arsenic and Iron Pills50
Sergeant's Compound Pepsin Tablets50
Sergeant's Condition Pills50
Sergeant's Disinfectant25 .50
Sergeant's Diuretic Pills50
Sergeant's Expectorant Medicine50
Sergeant's Eye Wash50
Sergeant's Intestinal Astringent50
Sergeant's Laxative Capsules50
Sergeant's Liniment50
Sergeant's Mange Medicine65
Sergeant's Mouth Wash50
Sergeant's Nerve Sedative Medicine50
Sergeant's Puppy Capsules50
Sergeant's Skip-Flea Powder, 2 oz.35
Sergeant's Skip-Flea Soap25
Sergeant's Special Medicine	\$1.00
Sergeant's Sure Shot Capsules50
Sergeant's Sure Shot Liquid50
Sergeant's Tapeworm Medicine50
Sergeant's Vitapets, Vitamin A, B, G, D60
Spratt's Worm Capsules for Cats.....	.10 and .50
Spratt's Worm Tablets for Dogs10 .50

DOG FOOD.

Mrs. Halfin's Itsy Bitsy (Candy Substitute).....	pkt.	.10 and	.25
Spratt's Assorted Dog Biscuit	pkt.		.40
Spratt's Cat Food	pkt.		.15
Spratt's Ovals, with Charcoal	pkt.		.40
Spratt's Ovals, without Charcoal	pkt.		.40
	1 lb	25 lb	100 lb
Chappel's Ken-L-Worth10	2.25	8.50
Gaines Krunchon10	2.50	9.00
Gaines Milk and Meat Meal10	1.75	7.50
Miller's A-1 Meal10	1.75	7.50
Miller's Kibbles10	2.50	9.00
Spratt's Assorted Dog Biscuit	Bulk 1 lb.		.15

GOLD FISH AND SUPPLIES.

Common, Fan Tail, Black Moor, and Chebunkin Fish from 10c to 25c each.

	Pkt.
Aquarium Cement25
Aquarium Ornaments and Shells10-.25
Bishop's Wafer Fish Food10
Fish Nets	Each .25
Fungus Remedy and Fish Tonic25
Medicated Health Fishball10
Mrs. Halfin's Fish Flakes10
Mrs. Halfin's Shrimp Fish Food10
Mrs. Halfin's Tropical Fish Food10
Mrs. Halfin's Turtle Food10
Spratt's Granulated Fish Food10

POULTRY REMEDIES AND SUPPLIES.

Bag Balm60
Bag Balm Dilators60
Black Leaf Worm Powder50	1.00
Burrell-Dugger Don Sung50	1.00
Burrell-Dugger Group-Over50	1.00
Carbola (Disinfectant Paint for Poultry Houses).....	.60	1.00
Carbolineum (Wood Preserving Disinfectant)	1.50	7.00
Cod Liver Oil, for mixing with poultry feeds.....	.50	.75 2.50
Dairy Association Co. Kow-Kare65	1.25
Dr. Hess Chick Tablets (Diarrhea)25	.50 1.00
Dr. Hess Dip and Disinfectant60	.90 1.50
Dr. Hess Drycide		2.25
Dr. Hess Fly Spray		1.50
Dr. Hess Hog Special30 .55 1.10 2.10 3.15	10.50
Dr. Hess Liquid Louse Killer35 .85 1.45	2.25
Dr. Hess Medicated (Healing) Powder25	.50

POULTRY REMEDIES AND SUPPLIES—Continued.

Dr. Hess Poultry Pan-A-Min.30	.55	1.10	2.10	3.15	10.50
Dr. Hess Poultry Tablets (Roup)25	.50	1.00
Dr. Hess Poultry Worm Powder50	.90	1.90	3.00	5.40
Dr. Hess Poultry Worm Tablets50	1.00	2.00	3.50	6.50
Dr. Hess PTZ Pellets					2.25	4.50
Dr. Hess PTZ Powder75	1.60
Dr. Hess Powdered Louse Killer30	.65	1.25
Dr. Hess Stock Tonic30	.55	1.10	2.10	3.15	10.50
Dr. Hess Udder Ointment50
Germo Cholérine Liquid65	1.00
Lee's Germozone40	.75	1.50	2.50	4.50
Lee's Gizzard Capsules, Adult75	1.25
Lee's Gizzard Capsules, Chick40	.75
Lee's Gizzard Capsules, Pullet50	1.00
Lee's Hog Oil Wormer					2.00	3.50
Lee's Lice Killer60	.90	1.50
Lee's Louse Powder, 1 lb. can.....						.25
Lee's Pickpaste, for cannibalism25
Lee's Poultry Dosing Syringe, 1 oz. capacity.....						.25
Lee's Poultry Nasal Syringe, for Head Colds.....						.75
Lee's Tonax, tonic30
Lee's Vapo-Spray75	1.25	2.00	8.75
Poultry Leg Bands, Aluminum, 12 bands10
Poultry Leg Bands, Aluminum, 50 bands50
Poultry Leg Bands, Aluminum, 100 bands75
Poultry Leg Bands, Celluloid, 12 bands10
Poultry Leg Bands, Celluloid, 50 bands30
Poultry Leg Bands, Celluloid, 100 bands50
Pratts Animal Regulator25	.50	1.00	2.85	9.50	
Pratts Bag Ointment60
Pratts Chick Tablets30	.60	1.25	
Pratts Cow Tonic50	1.00
Pratts Disinfectant for Dipping and Spraying Poultry and Stock50	1.45
Pratts Hog Powder50	1.00	2.85	9.50	
Pratts Pheno-Thi-Azine					1.00	1.50
Pratts Poultry Inhalant60	1.00
Pratts Poultry Regulator25	.50	1.60	2.85	9.50	
Pratts Poultry Worm Powder75	2.50	4.50	
Pratts Powdered Lice Killer30	.60
Pratts Roost Paint (Kills Poultry Lice)				1.00	1.75	2.50
Pratts R-P Tablets (Formerly Roup Tablets)25	.50
Pratts "Split-Action" Worm Capsules, Adult.....		.85	1.50	5.50	10.00	
Pratts "Split-Action" Worm Capsules, Chick and Small Pullet55	1.00	3.75	6.50	
Sodium Fluoride30

MISCELLANEOUS

Antrol, Ant Killer75
Daisy Fly Killer25
Figaro, Condensed Wood Smoke50	1.00	1.50	
Grafting Wax—½ lb.				
Hot Caps25 per dozen	\$1.50 per	100	
Jim Dandy Rat and Mice Killer15
K. R. O. Kills Rats Only (Not a poison).....				.75
Lime, Agricultural				
Mologen, Mole Poison50
Nomole. Poison to kill moles, ground squirrels, and small rodents.....	1.10		2.00	
Pastoxine. A non-poisonous exterminator of rats and mice.....				.60
Poison Wheat. Death to rats and mice15
Polar Naptholene Moth Flakes15
Rabbit Salt05
Raffia, Natural, for tying plants, 1 lb.....				1.00
Reth, Ready-to-Use Dust Gun45
Rex Fly Ribbons05	3 for	.10	
Rootone, for cuttings25
South American Ant Poison25
Tanglefoot Fly Paper10	3 for	.25	

Vegetable Plants, all varieties.

- Cabbage
- Mango or Pepper
- Sweet Potato
- Tomato

Flower Plants, all varieties.

- | | |
|-------------------|--------------|
| Aster | Salvia |
| Canterberry Bells | Shasta Daisy |
| Gaillardia | Snapdragon |
| Hardy Phlox | Stock |
| Pansy | Verbena |
| Petunia | Zinnia |

ALL PRICES QUOTED IN THIS CATALOG ARE
OPA CEILING PRICES OR UNDER.

ORDER SHEET

QUINLAN SEED STORE

**317 Wabash Avenue
Terre Haute, Indiana**

Name _____

Post Office County

Express Office.....Co. of Express Office.....State.....

Find Enclosed P. O. Order \$.....Draft \$.....Cash \$.....Stamps \$.....

for which send to address above the list of seed, etc., forwarded by

.....State here if wanted by mail, express or freight

[illegible]

DETACH HERE

ORDER SHEET

QUINLAN SEED STORE

**317 Wabash Avenue
Terre Haute, Indiana**

Name

Post Office.....County.....

Express Office Co. of Express Office State

Find Enclosed P. O. Order \$.....Draft \$.....Cash \$.....Stamps \$.....

for which send to address above the list of seed, et c, forwarded by.....

..... State here if wanted by mail, express or freight

[illegible]

DETACH HERE

